

Foodtec SX 002

Art. 676

Description: Low-viscosity, solvent-based cleaning and maintenance fluid for machinery used in the food, feed and pharmaceutical industries and their supplier industries.

Range of applications: Effective removal of grease and oil residue and dirt on machine parts. Lubricant for deep drawing aluminum packaging.

Product properties

- Lubricant complying with FDA regulation No. 21 CFR 178.3570, NSF H1-registered, odorless and tasteless
- Highly effective cleaning and degreasing
- Evaporates quickly without leaving residue
- colorless in appearance
- Application:
Cleaning: Cloth or handheld atomizer
Lubrication: Oil pump or central lubrication.
- Targeted lubrication for deep drawing of aluminum alloys.

Benefits

- A high level of safety is provided with regard to the contamination of the manufacturing goods. Facilitates compliance with the provisions of the German Foodstuffs and Utility Articles Ordinance (LGV). Supports the duty of care and compliance with the quality management according to DIN EN ISO 9001
- Clean surface.
- Can be applied easily and safely with the usual aids.
- High process security.

Application: - Significance of NSF H1: Lubricants approved for accidental contact with food, feed and pharmaceutical products.

Physical-chemical data:

Characteristic	Standard	Foodtec SX 002
Colour, appearance		colourless, clear
Viscosity (40 °C)	DIN ISO 3448	1.3 mm ² /s
Density (20 °C)	DIN 51757	0.757 g/ml
Pour point	DIN ISO 3016	< -114 °C
Flash point	DIN ISO 2592	> 61 °C

Safety and environmental aspects:

See overleaf

Foodtec SX 002

Art. 676

Safety and environmental aspects:

ARD/RID:

Precautionary measure:

Water hazard class:

EC waste code:

CH waste code:

Classification and labeling:

Not classified as hazardous by transport regulations
Do not allow product to reach ground water, water course or sewage system. Harmful to aquatic organisms.

Slightly water endangering (WGK 1)

12 01 07 / 13 02 05

Identical to EC waste code (as per VeVA from 01.01.06)

See safety data sheet

**Container sizes:**

Drum: 208 l

Canister: 5 l • 25 l

The information given in this data sheet is based on the properties and uses we are aware of. Blaser Swissslube AG is not liable for injury resulting from improper use of the products. As a general rule, no legal obligation can be derived from this information.

39.572 E (0424)

Blaser Swissslube AG

CH-3415 Hasle-Rüegsau (Switzerland) • Tel. +41 34 460 01 01
blaser.com

Blaser.
SWISSSLUBE